



trafimet  
distribution

YOUR WELDING PARTNER



ADAPTIVE POWER

ERGOCUT

**S 65**


# THE NEW PLASMA CUTTING TORCH ERGOCUT S 65

**ERGOCUT S 65** is the new Trafimet torch for Plasma cutting without high frequency, thanks to the innovative project becomes the standard reference for 60 A torches.

Rapid process cycling and quick cutting speed with a overall high quality of cut, are some of the important characteristics of this torch.

**ERGOCUT S 65** is particularly suitable for the customers who demand the highest cut quality, unmatched reliability and ease of use.

## LONGER CONSUMABLE LIFE



## STANDARD CONFIGURATION PERFORMANCES

- **Mild steel**
- **Thickness 10 mm**
- **Current 60 A**
- **Cutting speed 1 meter per minute**

## SAFETY

**ERGOCUT S 65** handle protect the user thanks to the increase distance between the contact tip and the hand.



## HI-PERFORMANCE



The **ERGOCUT S 65** guarantees optimized cutting performance and long lasting spare parts.


## EFFICIENCY


New design spare parts, the **ERGOCUT S 65** support high cutting speed reducing the time and cost of your manufacturing process.

# ERGOCUT S 65

**NO HF**  6 m  1 m **0.4 Kg**

**V peak** 500  4 bar  100 l/min

**X 60%** 60 A  8±20 mm

CODE	↔	
PA2200	6 m	Central Adaptor
PA2201	6 m	1/4 G
PA2202	6 m	Central Adaptor
PA2203	6 m	1/4 G

